

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

1/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)



CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

2/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard, heavy paper, etc) with a large square ruler, mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the center of the cross and trace.
- Flip the oval over 3 times along the axes, tracing on all 4 quadrants to form the complete oval.
- This is the template for cutting the chimney pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



MAKE SURE YOUR BOOT OR FLASHING WILL COVER THE HOLE BEFORE YOU CUT INTO YOUR ROOF

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

0 1 2 3 4 5 6

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

3/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

6

5

4

3

2

1

0

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

4/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

6

5

4

3

2

1

0

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

5/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

6
5
4
3
2
1
0

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

6/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard, heavy paper, etc) with a large square ruler, mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the center of the cross and trace.
- Flip the oval over 3 times along the axes, tracing on all 4 quadrants to form the complete oval.
- This is the template for cutting the chimney pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



MAKE SURE YOUR BOOT OR FLASHING WILL COVER THE HOLE BEFORE YOU CUT INTO YOUR ROOF

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

6
5
4
3
2
1
0

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

7/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)



CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

8/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard, heavy paper, etc) with a large square ruler, mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the center of the cross and trace.
- Flip the oval over 3 times along the axes, tracing on all 4 quadrants to form the complete oval.
- This is the template for cutting the chimney pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



MAKE SURE YOUR BOOT OR FLASHING WILL COVER THE HOLE BEFORE YOU CUT INTO YOUR ROOF

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

6
5
4
3
2
1
0

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES
TINYWOODSTOVE.COM

9/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)



CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

10/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard, heavy paper, etc) with a large square ruler, mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the center of the cross and trace.
- Flip the oval over 3 times along the axes, tracing on all 4 quadrants to form the complete oval.
- This is the template for cutting the chimney pipe hole in your roof.

center of cross



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



MAKE SURE YOUR BOOT OR FLASHING WILL COVER THE HOLE BEFORE YOU CUT INTO YOUR ROOF

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

0 1 2 3 4 5 6

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

11/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

center of cross

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

6

5

4

3

2

1

0

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

12/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

center of cross

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

0 1 2 3 4 5 6

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

13/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

center of cross

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

6

5

4

3

2

1

0

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

14/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

center of cross

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

0 1 2 3 4 5 6

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

15/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

center of cross →

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

0 1 2 3 4 5 6

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

16/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard, heavy paper, etc) with a large square ruler, mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the center of the cross and trace.
- Flip the oval over 3 times along the axes, tracing on all 4 quadrants to form the complete oval.
- This is the template for cutting the chimney pipe hole in your roof.



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



MAKE SURE YOUR BOOT OR FLASHING WILL COVER THE HOLE BEFORE YOU CUT INTO YOUR ROOF

center of cross

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)



CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

17/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

center of cross

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

6

5

4

3

2

1

0

CHIMNEY PIPE CUT TEMPLATE FOR PITCHED ROOF



TINY WOOD STOVE

SMALL STOVES FOR TINY SPACES

TINYWOODSTOVE.COM

18/12 Pitch Roof

4" Double Wall Pipe with a
6" Outer Diameter

2" clearance from all sides
of pipe to roofing material

How to Use:

This is 1/4 of the oval you will need to form
your entire roof cutout.

- Cut along the dotted line.
- On your template making sheet (cardboard,
heavy paper, etc) with a large square ruler,
mark a cross at least 12" wide x 12" tall
- Place the corner of your oval cutout at the
center of the cross and trace.
- Flip the oval over 3 times along the axes,
tracing on all 4 quadrants to form the
complete oval.
- This is the template for cutting the chimney
pipe hole in your roof.



ALWAYS DOUBLE CHECK YOUR MEASUREMENTS!



**MAKE SURE YOUR BOOT OR FLASHING WILL COVER
THE HOLE BEFORE YOU CUT INTO YOUR ROOF**

center of cross

IMPORTANT: Check your scaling. Be sure your printer settings are at 100%
(not fitting/shrinking to paper)

